EN

InDomo®

Homelifts

LIFTINGITALIA®

HOMELIFTS MADE IN ITALY

InDomo®

Why a home lift?

Our home lifts are designed to solve the needs of vertical mobility and to remove architectural barriers in all environments, both private and public.

They represent the ideal solution to overcome the stairs and rediscover the pleasure of moving freely in every moment of the day.

They can be installed both inside and outside the building in special metal structures or between the walls of the house.

They ensure a high level of ride comfort, great reliability and total safety, for example guaranteed by the automatic emergency lowering system in the event of a power failure.

They can be installed in new buildings but fit perfectly every existing environments, increasing their value.

Safety

Thanks to the wide range of specific devices you can move every day around the house without worries.

Comfort

It can be operated by pressing the button, both in the cabin and on the landings. Choosing the version with automatic sliding or folding doors in the car, you will not have to hold the button pressed during the entire travel.

Style

Decorate the space in motion by choosing the finishes that best suit your environments and satisfy your taste as you would do for any furnishing accessory. Our renewed range of cabins, Smart - Idea - Style and Opera, best represents the expression of MADE IN ITALY.

Indoor and outdoor homelifts

InDomo can be installed both inside and outside the building to ensure maximum accessibility at all levels.

If you do not have specific shaft you can connect the lift directly to the balcony or using existing windows modified to obtain the necessary entrances.

Small elevators for private homes and public environments

Our products find their natural connotation mainly in private homes to help you live fully your environments.

Nevertheless, they are the ideal solution to overcome architectural barriers in public environments like schools, shops, restaurants, offices can guarantee the right solution to all needs.





Masonry shaft or metallic structure

The lift travels inside a shaft to guarantee the maximum safety, according to the law. The shaft can be obtained inside the house making it in masonry or concrete.

Alternatively we can provide a metal structure designed for indoor or outdoor (since it is weather-proof), certified according to the anti-seismic rules. The structure has multiple finishes and can be completely glazed to ensure good easthetic result, lightness and visibility.

Swing doors or automatic doors

As standard, InDomo lifting platforms are offered with swing glazed doors that guarantee maximum visibility and passive safety.

They can also be equipped with automatic sliding doors or with internal folding doors and external automatic swing doors (MyDomo) which allow automatic control avoiding to keep the button pressed during the entire travel.

SPECIAL EDITION

TOTAL BLACK

Elegance and great charm

Total Black to guarantee elegance and great charm, enhancing the most particular places.

Each detail is proposed in the desired colour: cabin walls, ceiling, handrail, push-button panel, structure and doors will be painted in an elegant colour. Refined Granit floors in white and black tones will match the design.

SPECIAL EDITION

TOTAL WHITE

Purity and brightness

Total White to give purity and brightness to any room.



Cabin

SMART

Beauty
and simplicity

With its up-to-date, minimalist and yet affordable design, this is LiftingItalia best-selling cabin, now available with new eye-catching skinplate texture finishes.

Full height COP
in scotch brite ST/ST

IDEA

Elegance and flexibility

Bright, fresh and available in a wide colour range, this cabin boasts a plain and youthful design that brings sparkle to its surroundings.
IDEA is the cabin designed specifically for panoramic lifts and offers the possibility of having up to three glass walls.



Full height COP in anodized aluminum

Internal car profiles in anodized aluminum

External wall cladding in anodized aluminum

Cabin

STYLE

Timeless style

The material combinations are designed to exalt the enduring look of the stainless steel, which enhance both classic and modern environments.

Full height COP in polished Mirror ST/ST

OPERA

Warmth and accessible luxury

We chose a selection of the most interesting contemporary design materials, to create a uniquely refined cabin design.

3/4 height COP
in anodized aluminum

Internal car profiles
in anodized aluminum

External wall cladding
in anodized aluminum

Doors

LINE DOOR

Single panel swing door



GL

Aluminum Handle

Height 700 mm

Cod. ML.05 (Standard)

Single panel swing door; **manual opening and automatic closing**.

Available versions:
- GL (glazed - standard)

- Landing door finishes: **Silver anodized aluminium (standard) and Painted steel**

Stainless Steel Handle

Height 700 mm

Cod. ML.06 (Optional)

AUTOMATIC DOORS KIT MYDOMO-PACK

Double panels swing automatic landing door



GL BL

Double panels swing landing door coupled with a folding car door **completely automatic in opening and closing** operations. A safety device stops the movement in case of obstruction.

MyDomo landing door and Twist folding car door are also available:
- BL (blind)
- GL (glazed)



2 PANELS AUTOMATIC
Centre opening door



Car and landing 2 panels **automatic centre opening** door with safety device to re-open in case of obstructions.

Versions:
- BL (blind - standard)
- GL (glazed)

Available also:
- Fire rated E120
- Fire proof EI120

- Standard finishes:
  F12PPS - A80SMA - PPS10 - DT 65 Skinplate
- Optional finishes:
  Stainless Steel and Painted steel
- Entry-level finish:
  RAL 7032 smooth and repaintable primer

2 PANELS AUTOMATIC
Side opening door



Car and landing 2 panels **automatic side opening** door with safety device to re-open in case of obstructions.

Versions:
- BL (blind - standard)
- GL (glazed)

Available also:
- Fire rated E120
- Fire proof EI120

- Standard finishes:
  F12PPS - A80SMA - PPS10 - DT 65 Skinplate
- Optional finishes:
  Stainless Steel and Painted steel
- Entry-level finish:
  RAL 7032 smooth and repaintable primer

COP

COP STANDARD CONFIGURATION

- Braille push buttons
- Alarm button
- Luminous and acoustic overload signal
- Door open push button (only with automatic doors)
- Emergency STOP button (only without car doors)
- Emergency light
- Two-way intercom

PUSH BUTTONS

- The push button (Ø 29,6 mm) features Braille code
- Blue backlight
- Dimensions with bezel 42 x 38 mm
- Matt stainless steel/gold finish

OPTIONS

- Enabling key
- Magnetic iButton key
- Position and direction displays
- Phone dialler
- Wall phone
- In-built telephone box (where possible)
- LCD Display (5,6”)
- TFT Display (7”)

←

Embossed COP,
anodized aluminum,
3/4 height or full height

Width 220 mm
Depth 25 mm

→

Flush COP,
full height,
scotch brite or mirror
finish stainless steel

Width 220 mm

Display

CAR DISPLAY - OPTIONAL

TFT (7”)
Without frame

Dimensions:
154 x 86 mm

Tricolor LCD (5,6”)
With metal frame

Dimensions:
120 x 60 mm

LANDING DISPLAY - OPTIONAL

Car position
display
with frame
mounted
on the transom

On the wall

With metal
frame

Ceilings

PLEXY CEILING
not backlighted (standard)

- Standard ceiling for **SMART - IDEA - OPERA cars**
- Standard finishes: **Scotch Brite Stainless Steel** and **Anodized aluminium**
- Optional finishes: **Mirror Stainless Steel**

COUNTER-CEILING QUADRO
backlighted



- Standard counter-ceiling for **STYLE car**
- Optional counter-ceiling for **SMART - IDEA - OPERA cars**
- Standard finishes: **Scotch Brite** or **Mirror Stainless Steel**

COUNTER-CEILING WINDOW
backlighted



- Standard counter-ceiling for **STYLE car**
- Optional counter-ceiling for **SMART - IDEA - OPERA cars**
- Standard finishes: **Scotch Brite** or **Mirror Stainless Steel**

COUNTER-CEILING SPOTLIGHTS
with LED spot lights

- Standard counter-ceiling for **STYLE car**
- Optional counter-ceiling for **SMART - IDEA - OPERA cars**
- Standard finishes: **Scotch Brite** or **Mirror Stainless Steel**

Handrail

Modular aluminum handrails with the following finishes:

- natural anodized aluminum
  Cod. CR.03
- aluminum stainless steel effect
  Cod. CR.04



Cod. CR.03

Cod. CR.04

Finishes - Stainless Steel

For car walls and automatic doors

Satin Gr. 240
Stainless Steel



D21 Square
Stainless Steel

D25 Linen
Stainless Steel



D42 Leather
Stainless Steel



Scotch Brite
Stainless Steel



Mirror
Stainless Steel

For LINE doors

Anodized aluminium

Finishes - Skinplate

For automatic door and IDEA and SMART cars (* cars only)

DT 63 *
Rough Fabric

DT 64 *
Kaki Fabric

DT 65
Grey Fabric



A80SMA
White Ice



A90GTA *
Cream - Canvas effect

F12PPS
Stainless-Look

PPS10
Marble

F21PVA *
Dotted Silver

Finishes - Laminate HPL

MONOCHROMATIC FINISHES - For IDEA and OPERA cars

SUPER MATT
Soft to the touch for
an innovative effect

2904
White ice - Polaris

2910
Light grey - Polaris



2902
Black - Polaris



SEI
Opaque and pleasant
to the touch: just classic



410
White ice

414
Sand

868
Medium grey

MATERIAL FINISHES - For IDEA and OPERA cars

WOOD EFFECT
Inspired by nature,
it enhances
its aesthetic qualities

1385 - Vertical Texture
White Ash

1381 - Horizontal Texture
Transversal Oak

1389 - Vertical Texture
Noce Iseo

TROWELED EFFECT
Pleasant to the touch,
elegant to the eye

558
Ostuni

557
Ostuni

421
Ostuni

Finishes - Floors

GRANITE AGGLOMERATE

GRANIT 607
Polar Ice

GRANIT 431
White

GRANIT 2402
Dove Tail

GRANIT 646
Black Diamond

GRANIT 663
Vetro Moretti

ROUND STUDDED RUBBER

G804
Light Grey



N004
Black

PVC “ETERNAL COLLECTION”



13772
Eternal Brushed Aluminium

13712
Eternal Brushed Chrome

42292
Eternal Charcoal Slate

ALUMINIUM

5 bar aluminium tread plate

Finishes - Glasses and mirrors

Natural - **Standard**

Acid Etched

Natural Milky White

Smoke Grey

Smoke Bronze

Bronze Stopsol

Mirror

Finishes - Paints

CRINKLED FINISH





RAL 9010
Pure white



RAL 9016
Traffic white



RAL 1013
Oyster white

DESERT ROSE
Sand



RAL 7035
Light grey

RAL 7001
Silver grey

RAL 9006
White aluminium

RAL 9007
Grey aluminium

GREY MICA
Grey mica

BLASTED COPPER
Copper

ANTIQUE RUST
Corten

RAL 8019
Grey brown

RAL 7016
Anthracite grey

SMOOTH FINISH

RAL 9005
Jet black

SMOOTH FINISH

BRONZE - Y540NE3
Metallized Bronze

GOLD - K500Y08
Metallized Gold

OPTIONAL

RAL painting
Complete RAL range

Overall installation configurations



PRODUCT SPECIFICATIONS	InDomo
MAX PAYLOAD	500 kg
MAX TRAVEL	20 m
MAX ENTRANCES	3
MAX STOPS (in line)	8
SHAFT	
CONCRETE OR MASONRY	■
STEEL STRUCTURE, PAINTED RAL	□
STAINLESS STEEL STRUCTURE (AISI 304 or AISI 316 FOR MARINE ENVIRONMENT)	□
CARS	
SMART	■
STYLE	□
IDEA	□
OPERA	□
1 GLASS WALL	□
2 GLASS WALLS	□
CAR DOORS	
WITHOUT DOOR (with LIGHT CURTAIN)	■
AUTOMATIC SLIDING, 2-PANELS SIDE OPENING (BL-GL)	□
AUTOMATIC SLIDING, 2-PANELS CENTRE OPENING (BL-GL)	□
AUTOMATIC TWIST FOLDING 2-PANELS (BL-GL)	—
AUTOMATIC TWIST FOLDING 4-PANELS (BL-GL)	□
LANDING DOORS	
LINE GL - ALUMINIUM (GLAZED version)	■
IRON - STEEL (BL[1])	■
MyDOMO pack (coupled with TWIST) (GL-BL)	□
AUTOMATIC SLIDING, 2-PANELS SIDE OPENING (BL-BL[1]-GL)	□
AUTOMATIC SLIDING, 2-PANELS CENTRE OPENING (BL-BL[1]-GL)	□
HYDRAULIC TRACTION	
Indirect acting 2:1	■
Side direct acting 1:1	☒

(1) available also E120 and FIRE RATED EI120 executions

LEGEND

■ Standard ☒ Option, no extra price □ Optional — Not available

BL: BLIND version GL: GLAZED version

AVAILABLE ALSO WITH AISI 316 STRUCTURE FOR MARINE ENVIRONMENT

CAR DOORS

AUTOMATIC SIDE OPENING

2-PANELS LATERAL OPENING

AUTOMATIC CENTRE OPENING

2- PANELS CENTRE OPENING

AUTOMATIC FOLDING DOORS

TWIST 4-PANELS

LIGHT CURTAIN



WITHOUT CAR DOOR

CABIN - STYLES SCHEME



Car view from outside

SHAFT

ANTISEISMIC CROSS 50.2 STRUCTURE



CONCRETE AND/OR MASONRY WALL



LANDING DOORS

SIDE-OPENING AUTOMATIC

2-PANELS LATERAL OPENING

CENTRE OPENING AUTOMATIC

2- PANELS CENTRE OPENING

DOUBLE SWING AUTOMATIC



MYDOMO (2-PANELS)

SINGLE SWING MANUAL



LINE GL

EXAMPLE OF HYDRAULIC INSTALLATION (2 :1)



HYDRAULIC PUMP AND CONTROL PANEL IN METAL CABINET (OPTIONAL)

purely indicative drawing

InDomo
masonry shaft

Outdoor | Indoor | Suggested use | Suggested use | Max payload | 230 VAC single phase

STRENGTH AND RELIABILITY

InDomo means realiability and safety. Thanks to the hydraulic traction, to the solid structure and to the safety devices (blackout emergency descent, automatic rescue call and much more) you will never have to fear of being stuck in the cabin.

TOP COMFORT AT THE BEST PRICE

InDomo is the mini-lift for those who don't accept compromises. Top comfort and quietness, smooth starts and stops, great lighting and best technologies create the best travel experience in the category.

LIVING SPACE

The new range shows a completely renewed line of cabins, with a clean and essential design which will give your house an unmistakable touch of elegance.



PAYLOADS	From 250 up to 500 kg
TRAVEL	Up to 20 m
STOPS	Up to 8 (in line)
ENTRANCES	Up to 3
SPEED	0,15 m/s (EU) - 0,30 m/s (extra-EU)
SHAFT	Masonry shaft or Anti-seismic structure
CONTROL	Hold to run or Automatic
NOISE LEVEL	Max. 47 dB
CABIN DIMENSION	Max. 1400 (L) x 2000 (P) *
CABIN HEIGHT (CH)	Std. 2100 mm (Min. 2000 - Max. 2200)
DOOR HEIGHT (LH)	Std. 2000 mm (Min. 1800 - Max. 2100)
HEADROOM (LH 2000)	Min. 2300 mm - Max. 2570 mm
PIT	Min. 100 mm - Max. 500 mm
CYCLES/HOUR SUGGESTED	15
POWER SUPPLY	Single phase 230 Vac (3-phase 400 Vac as option)
CONTROL PANEL AND HYDRAULIC SYSTEM	In metal cabinet (optional)
REFERENCE REGULATION	D.M. 2006/42/CE - EN81.41

CUSTOM DIMENSIONS WITH 5 MM STEPS

MIN DIMENSIONS



MAX DIMENSIONS



*Min. and max. reference values
cannot be configured together (subject to feasibility study)

InDomo
metallic structure 50.2

Outdoor | Indoor | Suggested use | Suggested use | Max payload | 230 VAC single phase

STRENGTH AND BEAUTY

CROSS 50.2 2 is a steel structure for lift and lifting platform, suitable to be placed both inside and outside the building, consisting of bolted uprights and connecting crosspieces, bolted, prepared for fixing glasses or panels from inside the structure.
The CROSS 50.2 structures are tested according to the NTC2008 standards for installations in seismic zones. It has clean lines that suit all environments, both outdoor and indoor. Thanks to this structure, expensive masonry work is no longer necessary except for landing on the floor in case it was not planned.



BL: blind version

GL: glazed version



PAYLOADS	From 250 up to 500 kg
TRAVEL	Up to 20 m
STOPS	Up to 8 (in line)
ENTRANCES	Up to 3
SPEED	0,15 m/s (EU) - 0,30 m/s (extra-EU)
SHAFT	Masonry shaft or Anti-seismic structure
CONTROL	Hold to run or Automatic
NOISE LEVEL	Max. 47 dB
CABIN DIMENSION	Max. 1400 (L) x 2000 (P) *
CABIN HEIGHT (CH)	Std. 2100 mm (Min. 2000 - Max. 2200)
DOOR HEIGHT (LH)	Std. 2000 mm (Min. 1800 - Max. 2100)
HEADROOM (LH 2000)	Min. 2300 mm - Max. 2570 mm
PIT	Min. 100 mm - Max. 500 mm
CYCLES/HOUR SUGGESTED	15
POWER SUPPLY	Single phase 230 Vac (3-phase 400 Vac as option)
CONTROL PANEL AND HYDRAULIC SYSTEM	In metal cabinet (optional)
REFERENCE REGULATION	D.M. 2006/42/CE - EN81.41

CUSTOM DIMENSIONS WITH 5 MM STEPS

AVAILABLE WITH STAINLESS STEEL AISI316

MIN DIMENSIONS



MAX DIMENSIONS



*Min. and max. reference values
cannot be configured together (subject to feasibility study)

InDomo®

Homelifts

LIFTINGITALIA®

HOMELIFTS MADE IN ITALY

higher elevation

MOBILITY LIFT SPECIALISTS

01622 277 987
sales@higherelevation.co.uk
www.higherelevation.co.uk

MADE IN ITALY

All rights reserved. No part of this publication may be reproduced or transmitted, by any term or by any means, without the prior permission of Lifting Italia Srl who holds the copyright. The products shown and the data reported are purely indicative and may be subject to modification without notice. BR.COM.A26.EN - InDomo HomeLifts - Rel. 2.2 - 02-2023.