Invacare® | **Robin®**

Moving forward with dignity and care

The *Invacare* ***Robin*** ceiling hoist provides a unique and innovative method of transfer. The two strap design has no obstructive spreader bar; offering a safe and dignified transfer with optimal client and carer contact.

higher elevation
MOBILITY LIFT SPECIALISTS

Comfort

The two strap design gives unsurpassed stability during the transfer. The smooth soft start function makes positioning more gentle, and the two speed motor reduces the amount of time required for the transfer. The strap only configuration eliminates the need for a spreader bar of any size, adapting automatically to the weight and shape of the client.

Transfer with dignity

Personal contact is important. The absence of a spreader bar provides the client with a sense of freedom reducing the fear of being close to obtrusive parts of the lifting equipment. This enhances the transfer experience by introducing a unique dignified method of moving people.

High safety and easy to work with

The *Invacare* ***Robin*** has been conceived with safety in mind. In the event of an emergency situation, lowering, raising and stop functions are standard features built into the motor unit. The lifting mechanism offers an overload security system, self adjusting strap inlet and centrifugal braking.
Our patented strap system enables the carer to attach the sling to the hoist with the minimum of effort and the added security of a simple locking mechanism.

Features and Options

Emergency stop and lowering

Strap inlet self adjusts automatically to size of client

Hook self locks when weighted

Cable disengages to avoid damage if unit is pulled along via hand control

Features and Options

Robin
The unique strap system without the use of a spreader bar.

Robin Mover
With an integrated traverse motor.

Blue light illuminates when motor is in use, and a signal light flashes when battery is low

Charge motor through hand control when not in use

External emergency battery

Control- buttons on motor unit
For emergency use.

A scale which is easy to mount and use

Flexiscope
If a specific situation requires a spreader bar.

Stretcher, that offers unique stability without a leveller

① **Hand control**
Identified by symbols.
② ***Robin Mover*** **hand control**
With symbols for up/down and direction.

Technical data

Robin	47 cm	25 cm	19 cm	2,5 meter	3 cm/s (85 kg), 4 cm/s (0 kg)
Robin Mover	47 cm	25 cm	31 cm	2,5 meter	3 cm/s (85 kg), 4 cm/s (0 kg)

Robin	7 kg	200 kg
Robin Mover	9,5 kg	200 kg

Local Dealer

higher elevation
MOBILITY LIFT SPECIALISTS

Higher Elevation Limited
Bernard House, Granville Road,
Maidstone
Kent
ME14 2BJ

01622 682973

sales@higherelevation.co.uk
www.higherelevation.co.uk