higher elevation

MOBILITY LIFT SPECIALISTS

VM Home Lift

The VM Range is simple and unobtrusive, with a space saving design that uses the absolute minimum space in your home.

Designed for safety, flexibility and total freedom and independence.

Fully compliant to BS 5900:2012.

Robust Simple Aesthetic

Versatile Modern Creative

Options and Extras

In-Car Controls

Folding Chair

Remote Controls

Safety Edges

Custom Colours and Wraps

Battery Backup Powered Lights

Technical Details

		VM30 VM50	VM31 VM51	VM36 VM56	VM38 VM58	VM3136 VM5156	VM3138 VM5158	VM3638 VM5658	VM3836 VM5856
Standard Seated Lifts		√	–	–	–	–	–	–	–
Standard Wheelchair Lifts		–	√	–	–	–	–	–	–
Large Wheelchair Lifts		–	–	√	–	–	–	–	–
Extra Large Wheelchair Lifts		–	–	–	√	–	–	–	–
Hybrid Lifts		–	–	–	–	√	√	√	√
3m Maximum Travel		VM30	VM31	VM36	VM38	VM3136	VM3138	VM3638	VM3836
3.5m Maximum Travel		VM50	VM51	VM56	VM58	VM5156	VM5158	VM5658	VM5856
Internal Width	A	590	740	790	900	740	740	790	900
Internal Length - Manual Door	B	790	1180	1230	1400	1230	1400	1400	1230
Internal Length - Power Door	B	N/A	1150	1200	1370	1200	1370	1370	1200
Total External Length with Door Open to Wall	C	1655	2190	2290	2570	2235	2405	2455	2395
Total External Width Including Floating Platform	D	722	872	922	1032	872	872	922	1032
Total External Length Including Floating Platform to Wall	E	1090	1475	1525	1695	1525	1695	1695	1525
Minimum Shaft Width		846	996	1046	1156	996	996	1046	1156
Minimum Shaft Length		1120	1505	1555	1725	1555	1725	1725	1555
Minimum First-Floor Ceiling Height 3m Model		2055							
3.5m Model		2295							
Mid-Floor Dimensions		from 165 mm to 385 mm							
Lift Speed		60mm per second							
Ramp Gradient		1.8							
Car Control Illumination		5 minutes							



- ✓ CE Marked
- ✓ Conforms to BS 5900:2012

Member British Safety Council · constructionline · CHAS Accredited · IOSH · exor Accredited Company · SafeContractor Approved · bsi. ISO 9001 Quality Management FM 58435 · ISO 14001 Environmental Management EMS 561188 · OHSAS 18001 Occupational Health and Safety Management OHS 637524

Solution

The complete solution:

- Site survey
- Completion of all electrical and building work
- Installation of lift by trained personnel
- Commission and demonstrate to client
- After sales care - service and maintenance

Customer Care

Contact our dedicated, friendly team of people, experienced in offering a high level of customer care and individual attention. Our team can offer advice on everything from feasibility to installation and after care, together with an unparalleled level of technical support.

The Range

The Wessex Range of products offers solutions for accessibility suited to your specific needs. We can offer you applications suited for internal and external use, with a lifting height of up to 6m and a wide range of options to suit your individual needs.

Other Products in the Range

higher elevation
MOBILITY LIFT SPECIALISTS

Higher Elevation Ltd
Bernard House, Granville Road,
Maidstone, Kent ME14 2BJ

Tel: 01622 682973
online@higherelevation.co.uk

www.higherelevation.co.uk

British Design & Manufacture

Ref VM00 7502
Issue I
Language UK